



# PRAKASH

Worldwide

Quality, Reliability, Life



## AUTOMATIC PUMP CONTROLLER

# Automatic Pump Controller

## PAPC - 1



Rated voltage	220V - 240V, 110V - 120V, 110V - 240V
Frequency	50/60 Hz
Max. current	10A 20A
Max. power	1.1KW 1.5KW 2.2KW
Starting pressure setting	1.2bar 1.5bar 2.2bar
Max. working pressure	10 bar
Connection thread	R1"
Protection rating	Ip65
Max. working temperature	60°C
Wiring requirement	7.5 - 9mm

## PAPC - 3




Rated voltage	220V - 240V 110V - 120V
Frequency	50/60Hz
Max. current	10A 20A
Max. power	1.1KW 1.5KW 2.2KW
Starting pressure setting	1.5 bar 2.2 bar 3.5 Bar
Max. working pressure	10 bar
Connection thread	Inlet male thread G1" Outlet female threads G1"
Protection rating	Ip54
Max. working temperature	60°C
Wiring requirement	7.5-9mm

## PAPC - 5



Rated voltage	220V - 240V 110V - 120V
Frequency	50/60Hz
Max. current	10A 20A
Max. power	1.1KW 1.5KW 2.2KW
Starting pressure setting	1.2 bar 1.5 bar 2.2 bar
Max. working pressure	10bar
Connection thread	R1"
Protection rating	Ip65
Max. working temperature	60°C
Wiring requirement	7.5-9mm

## Layout



**PRAKASH**

Worldwide

## Prakash Pump

Naroda Road, Ahmedabad-380025. Gujarat, India

Phone : +919925249371 | Email:info@prakashpump.com | www.prakashpump.com

UAE : 00971 50 6731283 | 00971 37222733

Oman : 00968 95690021 | 00968 26883982



Scan QR Code to Get  
Quotation by Email



Scan QR Code to Get  
Quotation by SMS



Scan QR Code to  
Download e-Catalogue

